

TOWN OF BEAUFORT
FIRE STATION #2 ADDITION
BEAUFORT, NORTH CAROLINA

ADDENDUM 2

September 4, 2026


To all prospective bidders of the Town of Beaufort Fire Station #2 Addition project in Beaufort, North Carolina, for which sealed bids will be received by the Town of Beaufort on September 10th, 2026 at 2:00 PM at 2731 Highway 101 in Beaufort, North Carolina.


The following questions and clarifications have been requested by contractors:

1. Contractors shall be responsible for coordinating with the steel building manufacturer's for the addition to the existing structure. New portal framing may be required adjacent to the existing end wall. Vertical columns may remain in the end wall but contractors shall coordinate with the manufacturers for removal of the horizontal members. All engineering required for the addition including foundation, framing, and roof shall be the responsibility of the contractor.
2. Finish floor throughout the addition shall be exposed concrete to match the existing.
3. Ceilings shall be exposed to match the existing throughout the addition.
4. The door handle into the decontamination room does not need to lock.
5. The specification for the retractable cord reel to be provided and installed by the contractor is included with this addendum.
6. Shower in the decontamination room shall be 60" x 30" roll in type with slip resistant bottom and curtain rod. Comfort Designs XSA6436BF.75 or approved equal. Contractor shall coordinate location of floor drain with shower install. Shower kit shall be Zurn Z7302-SS-MT-DV2P-HW-H9-G9 or approved equal.
7. The specification for the ceiling fan to be provided by the Town and installed by the contractor is provided with this addendum.
8. The requirement for bid, performance, and payment bonds will be decided by the Town of Beaufort no later than Tuesday.


These documents shall become part of the Construction Documents and are incorporated therein.

End of Addendum.



 09/04/2026
Arendell Engineers
John J. Wade, P.E.

Retractable Cord Reel - Heavy Duty, 65'



Never wind a cord again. Pull down for safe and easy access.

- Wall and ceiling mountable. Hardware included.
- Cord locks to desired length, retracts with slight tug.
- 4 grounded outlets with resettable circuit breaker.
- Industrial grade polyethylene housing.

More Images

ETL/C-ETL Listed

MODEL NO.	DESCRIPTION	DIMENSIONS L x W x H	CORD LENGTH	GAUGE/ CONDUCTOR	125V RATING	WT. (LBS.)	PRICE EACH		IN STOCK SHIPS TODAY
							1	4+	
H-6412	Heavy Duty	14 1/2 x 6 x 15 1/2"	65'	12/3	15A	22	\$290	\$280	1 ADD

SHIPS VIA UPS

Additional Info

Shopping Lists

Request a Catalog

DIMENSIONS:

- Height with Mounting Bracket: 16 1/2"
- Reel (Diameter): 14 1/2"
- Pigtail: 30"

FEATURES:

- Polyethylene housing will not rust or dent.
- Powder coated steel mounting bracket.
- Carrying handle

SPECIFICATIONS:

Availability: [In Stock](#)
Unit Weight: 22 lbs.

[Instructions](#)

[Catalog Page 576](#)

[Share Item](#)



THE FanBOS

8' Ceiling fan

part # CP96PG

CANARM LTD. HEAD OFFICE

PO Box 367, 2157 Parkedale Avenue, Brockville, Ontario K6V5V6
Tel: 613-342-5424 | Fax: 1-800-263-4598
www.canarm.com

CANARM INC.

709 East Main Street, Teutopolis, IL USA 62467
Tel: 1-800-267-4427 | Fax: 1-800-263-4598
www.canarmusa.com

General

Size: 96"

Finish: grey, Blades: 6 aluminum blades

Zinc Ball Hanger, 48" lead wires, Downrod mount

Downrod mount height: 20 1/4"

Downrod: 12", OD: 1" (also available: 24" and 36" downrods)

Motor size: 172mm x 22mm, DC motor, 120 Volt

Floor area coverage: 2000 sq.ft. @ 20'

Hand held remote control DCQ012 with wall mounting bracket included. Controllable distance is 65 1/2' (20 meters)

Remote control functions:

fan: 5 speeds, on/off, fwd/rev

light: on/off/dimmer, 3 timer options

Available LED light kit: LK-CPPG, 1000 lumens

Performance at High Speed:

105 RPM, 16729 CFM, 281 CFM/W, 61.6 WATTS, 0.9 AMPS

Efficiency: 487 CFM/W

Performance at Low Speed:

49 RPM, 10292 CFM, 1711 CFM/W, 6.0 WATTS, 0.1 APMS

Efficiency: 487 cfm/w

Packaging

Color box: 44.80" x 10.75" x 11.61"

Color box weight: 28.60 lbs

Warranty & Safety Standards

Warranty: Motor - Limited 5 year

Fixture - Limited 1 year

cCSAus


Rated for wet locations

Fan blades must be at a minimum of 10 feet from the floor

TITLE 20 compliant



WARNING: The use of this product can expose you to chemicals including Cadmium, which is known to the State of California to cause cancer, and Lead, which is known to the State of California to cause birth defects and/or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Prepared for

Contact

Date

Presented by

Remarks